43" Ultra High Brightness Window Displays



6

Designed for outward-facing window displays in direct sunlight

3,500cd/m2 Direct Sunlight Readable

Designed for shopfront windows, these displays feature commercial grade ultra-high brightness panels (3,500cd/m²) that are up to 10 times brighter than domestic televisions. This ensures that content really stands out, even the brightest direct sunlight.

Ultra Resistant to Blackening Defect (up to 110oC)

Thanks to their special ultra-high brightness panels, these displays can withstand

surface temperatures up to 110oC without suffering from any blackening defect. This is crucial for outward-facing window displays, which must contend with



exposure to direct sunlight.





Integrated Android Media Player

Sleek Thin Bezel

→

:(



- • 24/7 Commercial Grade

External Light Sensor

3-Year Warranty

110°C










boost

Smart Temperature Control

Lightweight Enclosure

Landscape or Portrait

Key Features



Specification Table

	43 Inch
Resolution	1920x1080
Bezel Size (mm)	18
Display Area (mm)	941.2x529.4
Aspect Ratio	16:9
PanelBrightness (cd/m2)	3,500
Colour	16.7M
Viewing Angle	178°
Contrast Ratio	1,100:1
Blackening Defect Free	Up to 110°C (230°F)
Video	HDMI, VGA
AV Inputs Audio	Audio Socket (3.5mm)
Power Consumption (W)	267
Power Input Voltage	AC110~240V (50Hz~60Hz) (Manual switching necessary)
Unit Size (WxHxD mm)	980x568x85
	1080x670x225
VESA Holes (mm)	400x300
Mechanical No. of Handles	4
	19.2
Net Weight (kg)	28
Gross Weight (kg)	Up to 110°C (230°F)
-Surface Panel Temperature	0°C to 50°C
Operating Temperature	-30°C to 60°C
Environmental Storage Temperature	10% to 80%
Operating Humidity	5% to 95%
Storage Humidity	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
Media Formats	1920x1080/1080x1920
Media Resolution	Quad-Core ARM Cortex A17, 1.6GHz
CPU	Quad-Core ARM Mali-T764
GPU	DDR3 2GB
RAM	8GB eMMC
ComputerInternal Storage	1 x USB (OTG/HOST), 1 x USB (HOST)
USB	100M/1000M Ethernet (Network Version Only)
LAN	802.11b/g/n/ac (Network Version Only)
Wi-Fi	Android 7.1
-OS	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Graphic Engine	Scheduling Software, Remote Control, User Manual
Included	Network Upgrade, Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand
Accessories Optional	3 Year Warranty
Warranty Period	Lifetime
Warranty	


Warranty Technical Support






F, BMP, PNG) 1.1 e Stand

Technical Drawing





Why Choose Our Commercial Display Solutions?

